JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 391 (1990)

AUTHOR INDEX

Abu-Salah, O.M., (391) 267
Ahlgren, M., (391) 403
Aizpurua, J.M., (391) 13
Al-Allaf, T.A.K., (391) 37
Al-Ohaly, A.R.A., (391) 267
Alt, H.G., (391) 53
Al-Tayy, M.A.M., (391) 37
Amaudrut, J., (391) 61
Aumann, R., (391) C7
Azevedo, C.G., (391) 345

Baker, P.K., (391) C12
Barfuss, S., (391) 209
Bellachioma, G., (391) 367
Bergdahl, M., (391) C19
Blom, R., (391) 47
Boag, N.M., (391) 209
Bonati, F., (391) 155
Braga, D., (391) 225, C28
Bruce, M.I., (391) 81
Burdof, H., (391) 195
Burlakov, V.V., (391) 119

Calhorda, M.J., (391) 345
Cardaci, G., (391) 367
Carriedo, G.A., (391) 431
Carrondo, M.A.A.F. de C.T. (391) 345
Carson, A.S., (391) 361
Cecchi, P., (391) 155
Chaudret, B., (391) C45
Chen, W., (391) 313
Choi, S.-B., (391) 27
Choukroun, R., (391) 189

Damrauer, R., (391) 7
Denner, C.E., (391) 53
Dias, A.R., (391) 345, 361
Diogo, H.P., (391) 361
Dong, T.-Y., (391) 377
Dowben, P.A., (391) 209
Drew, M.G.B., (391) C12
Duteil, A., (391) C45

Echavarren, A.M., (391) 219
Egorov, M.P., (391) C1

Elschenbroich, Ch., (391) 195
Elsegood, M.R.J., (391) 239
Elyusufi, A., (391) 13
Emrich, K.-H., (391) 209
Engman, L., (391) 165
Ezhova, M.B., (391) C1

Faist, R., (391) 1
Félix, V., (391) 345
Flower, K.R., (391) C12
Fontaine, X.L.R., (391) 123
Fronda, A., (391) 289
Fujii, T., (391) 147

Galminas, A.M., (391) C1
Gervais, D., (391) 189
Glaser, E., (391) C37
Gradella, C., (391) 225
Gray, G.M., (391) 259, 415
Grepioni, F., (391) 225, C28
Guerchais, J.E., (391) 61
Guselnikov, L.E., (391) 275

He, X.D., (391) C45
Heinen, H., (391) C7
Hills, A., (391) C41
Hirschwald, W., (391) 209
Hoffmann, G.G., (391) 1
Hong, J.-H., (391) 27
Hu, N., (391) 313
Hughes, D.L., (391) C41
Hwang, M.-Y., (391) 377
Hwang, W.-S., (391) 377

Ikenishi, Y., (391) 139
Ishii, H., (391) 147

Jackson, P.A., (391) 225
Jamea, E.H., (391) 361
Jenke, T., (391) 395
Jimenez-Tenorio, M., (391) C41
Jin, Z., (391) 313
Johnson, B.F.G., (391) 225
Joo, W.-C., (391) 27
Jungbluth, H., (391) 109

Kadiata, M., (391) 387
Kim, C.H., (391) 27
Kitagawa, S., (391) 131
Knoch, F., (391) 327
Kolesnikov, S.P., (391) C1
Kowalski, P., (391) 13
Kruppa, A.I., (391) C1

Labrador, M., (391) 431
Laporterie, A., (391) 7
Leigh, G.J., (391) C41
Leonesi, D., (391) 155
Leshina, T.V., (391) C1
Lewis, J., (391) 225
Liddell, M.J., (391) 81
Lin, L., (391) 307, 321
Lin, Y., (391) 307, 321
Lindner, E., (391) C37
Livotto, F.S., (391) C28
Lo, P.Y., (391) 19
Lobbia, G.G., (391) 155
López, J., (391) 219

Maas, G., (391) 289
Macchioni, A., (391) 367
Maksimenko, A.A., (391) 179
Manuel, G., (391) 7
Markham, D.P., (391) 123
Martinho Simões, J.A., (391) 361
Marton, D., (391) 295
Maryasova, V.I., (391) C1
Maslakov, A.G., (391) 179
Massey, A.D., (391) 225
Masuda, H., (391) 131
Mena, M., (391) 47
Mercier, R., (391) 61
Merlic, C.A., (391) C23
Minas da Piedade, M.E., (391) 361
Minkin, V.I., (391) 179
Moll, M., (391) 327
Munakata, M., (391) 131
Mutter, Z.F., (391) 267

Nagasawa, K., (391) 139
Nakagawa, Y., (391) 139
Nefedov, O.M., (391) C1
Nilsson, M., (391) C19

Oehme, G., (391) 119
Olsson, T., (391) C19

Pakkanen, T.A., (391) 403
Park, Y.T., (391) 7
Pereyre, M., (391) 283
Petrovskii, P.V., (391) 119
Picard, J.P., (391) 13
Pola, J., (391) 275
Pursiainen, J., (391) 403

Ramão, C.C., (391) 345
Raoult, Y., (391) 189
Reddy, V.V.S., (391) 259
Reichenbach, G., (391) 367
Riera, V., (391) 431
Romero, A., (391) 219
Rosenthal, U., (391) 119
Rossi, S., (391) 403
Royo, P., (391) 47
Rypdal, K., (391) 47

Sadekov, I.D., (391) 179
Sala-Pala, J., (391) 61
Sánchez, G., (391) 431
Santos, A., (391) 219
Schneider, J., (391) 195
Sellmann, D., (391) 327
Semmelhack, M.F., (391) C23
Serrano, R., (391) 47
Shaw, B.L., (391) 123
Shen, Q., (391) 307, 321
Shur, V.B., (391) 119
Simon, R., (391) 7
Solans, X., (391) 431
Son, H.-E., (391) 27
Song, L.-C., (391) 387
Stoeckli-Evans, H., (391) 109, 395
Sünkel, K., (391) 247
Süss-Fink, G., (391) 109, 395
Suzuki, T., (391) 19
Tagliavini, G., (391) 295
Taraban, M.B., (391) C1
Tiekink, E.R.T., (391) 81
Tocher, D.A., (391) 239
Tokiwa, H., (391) 147
Törnroos, K.W., (391) 165

Vargas, M.D., (391) C28
Varshney, A., (391) 259, 415
Verlhac, J.-B., (391) 283
Vol'pin, M.E., (391) 119
Volnina, E.A., (391) 275

Wang, H.-G., (391) 387
Wang, J.-T., (391) 387
Wang, R.-J., (391) 387
Wardell, J.L., (391) 295
Weber, W.P., (391) 7
Weiß, R., (391) 327
Wen, Y.-S., (391) 377

Yan, P., (391) 313

Zheng, D., (391) 307, 321
Zordan, M., (391) 295

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 391 (1990)

SUBJECT INDEX

Boron

Cesium monomercaptoundecahydro *closo*-dodecaborate(2−), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139

Cadmium

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Chromium

Aminocarbene chromium complex as starting compound in the synthesis of β-tripyranes and β-trispyrroles (R. Aumann, H. Heinen), (391) C7

Bis(η^6-bimesityl)chromium, magnetic shielding and conformational mobility (Ch. Elsenbroich, J. Schneider, H. Burdorf), (391) 195

[$Fe(CO)_2$('S_4')] as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of [$Fe(CO)_2$(μ-'S_4'){$M(CO)_5$}$_n$] (n = 1: M = Cr, Mo, W; n = 2: M = W; 'S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Cobalt

(η^5-C_5H_5)$Co(CO)_2$, reaction with dichloroethyne; structures of (CpCo)(η^4-C_7Cl_6O), [CpCo]$_2$[μ-(η^1,η^2)$_2$-C_5Cl_4O] and [η^4-(CpCo–CCl=CCl–CCl=CCl)](CoCp) (K. Sünkel), (391) 247

[$HRuCo_3(CO)_{11}(SeMe_2)$], [$HRuCo_3(CO)_{10}(SeMe_2)_2$] and [$HRuRh_3(CO)_9$]$_2$[$SeMe_2$]$_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Copper

[$Au_3AgCu(C_2Ph)_6$]$^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal–olefin bonds; possibility of a copper(I)–olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131

TMSI-activated butylcopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphtyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19

Germanium

7-Sila- and 7-germa-norbornadienes, CIDNP ^1H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1

Gold

$[Au_3AgCu(C_2Ph)_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Cationic trimetallic clusters with Au–W bonds, synthesis of; crystal structure of $[AuW_2(\mu\text{-}CR)_2(CO)_4(bipy)_2Cl_2]\cdot PF_6$ ($R = C_6H_4Me$-4) (G.A. Carriedo, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431

$Ir_4(CO)_8(\mu\text{-}CO)_3(PPh_2AuPPh_3)$, synthesis and structural characterization of; conversion into $Ir_4(CO)_9(\mu\text{-}CO)(\mu\text{-}PPh_2)(\mu\text{-}AuPPh_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

$\{Ru_3(CO)_{11}\}_2(\mu$-dppa) (dppa = $C_2(PPh_2)_2$), thermal behaviour of; crystal structures of $Ru_4(\mu_4\text{-}PPh)(\mu_4\text{-}PhC_2PPh_2)(\mu\text{-}CO)_2(CO)_8\cdot MeOH$, $Ru_5(\mu_4\text{-}PPh)\{\mu_3\text{-}CCPh(PPh_2)\}(CO)_{12}$, $Ru_5(\mu_3\text{-}H)(\mu_4\text{-}PPh)\{\mu_4\text{-}CCPh(C_6H_4)\}(\mu_3\text{-}PPh)(CO)_{10}$ and $Ru_5(\mu_4\text{-}PPh)\{\mu_4\text{-}CCPh(C_6H_4)\}\{\mu\text{-}PPh(OMe)\}(CO)_{11}\cdot 2MeOH\cdot H_2O$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekink), (391) 81

Indium

$^iPr_2InBr$, $^iPr_2InI$ and $^iPrInI_2$, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

Iridium

$Ir_4(CO)_8(\mu\text{-}CO)_3(PPh_2AuPPh_3)$, synthesis and structural characterization of; conversion into $Ir_4(CO)_9(\mu\text{-}CO)(\mu\text{-}PPh_2)(\mu\text{-}AuPPh_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

Iron

Bridged double butterfly-shaped Fe–S cluster complexes $[(\mu\text{-}RS)Fe_2(CO)_6]_2(\mu\text{-}SCH_2C_6H_4CH_2S\text{-}\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387

Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

$[Fe(CO)_2(\text{'}S_4\text{'})]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu\text{-}\text{'}S_4\text{'})\{M(CO)_5\}_n]$ ($n = 1$: M = Cr, Mo, W; $n = 2$: M = W; $\text{'}S_4\text{'}^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Mixed disubstituted $[Fe(CO)_3LL']$ complexes, preparation and characterization by ^{31}P-NMR spectroscopy of (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach), (391) 367

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41

Mercury

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Metallocenes

$(\eta^5\text{-}C_5H_5)Co(CO)_2$, reaction with dichloroethyne; structures of $(CpCo)(\eta^4\text{-}C_7Cl_6O)$, $[CpCo]_2[\mu\text{-}(\eta^1,\eta^2)_2\text{-}C_5Cl_4O]$ and $[\eta^4\text{-}(CpCo\text{–}CCl{=}CCl\text{–}CCl{=}CCl)](CoCp)$ (K. Sünkel), (391) 247

Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Molybdenum

[$Fe(CO)_2$('S_4')] as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of [$Fe(CO)_2(\mu$-'S_4')$\{M(CO)_5\}_n$] ($n = 1$:M = Cr, Mo, W; $n = 2$: M = W; 'S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361

Mo(η^5-$C_5H_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of [Mo(η^5-$C_5H_5)_2H(PPh_3)$]I·$\frac{1}{2}H_2O$ and [Mo(η^5-$C_5H_5)_2(CH_3)(PPh_3)$]PF_6 (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $HRh\{[P(OMe)_2O]_2H\}_2(PPh_2Me)$ (A. Varshney, G.M. Gray), (391) 415

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Nickel

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Niobium

[(η-$C_5H_5)_2Nb(CO)(CR^1{=}CHR^2)$], reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61

Osmium

$Os_3(CO)_9(\mu_3$-$C_6H_3CH_3)(\mu_3$-$AsC_6H_4CH_3)$ and $Os_3(CO)_8(\mu_3$-$C_6H_3CH_3)(\mu_3$-$AsC_6H_4CH_3)As(p$-tol)$_3$, synthesis and X-ray crystal structures of; ^{13}C and ^1H NMR spectroscopic studies (P.A. Jackson, B.F.G. Johnson, J. Lewis, A.D. Massey, D. Braga, C. Gradella, F. Grepioni), (391) 225

[Os(η^6-$C_6H_6)(\eta^6$-[2_2](1,4)$C_{16}H_{16})$][$BF_4]_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex [(η^6-$C_6H_6)Os(\eta^6,\eta^6$-[2_2](1,4)$C_{16}H_{16})Ru(\eta^6,\eta^6$-[$2_2$](1,4)$C_{16}H_{16})Os((\eta^6$-$C_6H_6)$][$BF_4]_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239

Palladium

Heck reaction, chloride ion effect in (C.A. Merlic, M.F. Semmelhack), (391) C23

Phosphorus

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

$Ir_4(CO)_8(\mu$-$CO)_3(PPh_2AuPPh_3)$, synthesis and structural characterization of; conversion into $Ir_4(CO)_9(\mu$-$CO)(\mu$-$PPh_2)(\mu$-$AuPPh_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

Mo(η^5-$C_5H_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of [Mo(η^5-$C_5H_5)_2H(PPh_3)$]I·$\frac{1}{2}H_2O$ and [Mo(η^5-$C_5H_5)_2(CH_3)(PPh_3)$]PF_6 (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $HRh\{[P(OMe)_2O]_2H\}_2(PPh_2Me)$ (A. Varshney, G.M. Gray), (391) 415

Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259

Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Platinum

PtX_2 (X = Cl, Br, I or Me) and PdX_2 (X = Cl, Br or I) complexes with $Ph_2PCH{=}CH_2$ (X.L.R. Fontaine, D.P. Markham, B.L. Shaw), (391) 123

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Rhodium

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $HRh\{[P(OMe)_2O]_2H\}_2(PPh_2Me)$ (A. Varshney, G.M. Gray), (391) 415

Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259

Ruthenium

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

$Cp^*Ru(OMe)PCy_3$ and Cp^*RuHL_2 (L = $PCyPh_2$, PCy_2H), reactivity of; preparation from $[Cp^*Ru(OMe)]_2$ and bulky phosphines (B. Chaudret, A. Duteil, X.D. He), (393) C45

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

$[Os(\eta^6\text{-}C_6H_6)(\eta^6\text{-}[2_2](1,4)C_{16}H_{16})][BF_4]_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex $[(\eta^6\text{-}C_6H_6)Os(\eta^6,\eta^6\text{-}[2_2](1,4)C_{16}H_{16})Ru(\eta^6,\eta^6\text{-}[2_2](1,4)C_{16}H_{16})Os((\eta^6\text{-}C_6H_6)][BF_4]_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239

$Ru(CO)ClH(C_5H_5N)(PPh_3)_2$, reactions with 1-alkynes (A. Romero, A. Santos, J. López, A.M. Echavarren), (391) 219

$\{Ru_3(CO)_{11}\}_2(\mu\text{-dppa})$ (dppa = $C_2(PPh_2)_2$), thermal behaviour of; crystal structures of $Ru_4(\mu_4\text{-}PPh)(\mu_4\text{-}PhC_2PPh_2)(\mu\text{-}CO)_2(CO)_8\cdot MeOH$, $Ru_5(\mu_4\text{-}PPh)\{\mu_3\text{-}CCPh(PPh_2)\}(CO)_{12}$, $Ru_5(\mu_3\text{-}H)(\mu_4\text{-}PPh)\{\mu_4\text{-}CCPh(C_6H_4)\}(\mu_3\text{-}PPh)(CO)_{10}$ and $Ru_5(\mu_4\text{-}PPh)\{\mu_4\text{-}CCPh(C_6H_4)\}\{\mu\text{-}PPh(OMe)\}(CO)_{11}\cdot 2MeOH\cdot H_2O$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekink), (391) 81

Trinuclear ruthenium clusters, fixation of hydrazines and hydrazones to; synthesis and crystal structure of $(\mu_2\text{-}H)Ru_3(CO)_9(\mu_3\text{-}NHNH_2)$ (T. Jenke, H. Stoeckli-Evans, G. Süss-Fink), (391) 395

Samarium

$(t\text{-}C_4H_9C_5H_4)_2Sm(DME)$, synthesis of; its reactivity with phenylacetylene; synthesis and structure of $((t\text{-}C_4H_9C_5H_4)_2SmC{\equiv}CPh)_2$ (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 307

Selenium

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

2-Phenylselenylenones and 2-haloenones, formation from enones; mechanistic and synthetic aspects, and X-ray crystal structures of intermediates (L. Engman, K.W. Törnroos), (391) 165

$^iPr_2InBr$, $^iPr_2InI$ and $^iPrInI_2$, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

Silicon

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

Disilylethynes, platinum-catalysed hydrosilylation of (T. Suzuki, P.Y. Lo), (391) 19

1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

Enamines of acylsilanes, preparation of; synthesis of acylsilanes (J.P. Picard, J.M. Aizpurua, A. Elyusufi, P. Kowalski), (391) 13

3-Methoxy-1-(tributylstannyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283

3-Methylene-1,1-dichlorosilacyclobutane and 1,1-dichlorosilacyclopent-3-ene, synthesis of (R. Damrauer, R. Simon, A. Laporterie, G. Manuel, Y.T. Park, W.P. Weber), (391) 7

Organosilicon compounds, surface ionization mass spectra of (T. Fujii, H. Ishii, H. Tokiwa), (391) 147

Poly(silaisoprene), preparation by laser-induced decomposition of 1-methyl-1-vinyl-1-silacyclobutane (J. Pola, E.A. Volnina, L.E. Guselnikov), (391) 275

7-Sila- and 7-germa-norbornadienes, CIDNP ^1H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1

Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289

TMSI-activated butylcopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphtyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19

Silver

$[Au_3AgCu(C_2Ph)_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal–olefin bonds; possibility of a copper(I)–olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131

Sodium

1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

Sulphur

Bridged double butterfly-shaped Fe–S cluster complexes $[(\mu\text{-RS})Fe_2(CO)_6]_2(\mu\text{-}SCH_2C_6H_4CH_2S\text{-}\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387

Cesium monomercaptoundecahydro *closo*-dodecaborate(2−), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139

$[(\eta\text{-}C_5H_5)_2Nb(CO)(CR^1{=}CHR^2)]$, reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61

Tellurium

Tellurium-containing aromatic azomethine derivatives, intramolecular Te ← N coordination in (I.D. Sadekov, A.A. Maksimenko, A.G. Maslakov, V.I. Minkin), (391) 179

Tin

Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of $TiCl_4$ or Cp_2TiCl_2 (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295

3-Methoxy-1-(tributylstannyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Organotin(IV) complexes of some *N*,*N*-dimethylaniline *N*-oxide derivatives (T.A.K. Al-Allaf, M.A.M. Al-Tayy), (391) 37

Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289

Tetrakis(pyrazolyl)borates (G.G. Lobbia, F. Bonati, P. Cecchi, D. Leonesi), (391) 155

Titanium

Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of $TiCl_4$ or Cp_2TiCl_2 (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295

Me_3TiCp^*, gas phase molecular structure of (R. Blom, K. Rypdal, M. Mena, P. Royo and R. Serrano), (391) 47

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Tungsten

Cationic trimetallic clusters with Au–W bonds, synthesis of; crystal structure of $[AuW_2(\mu\text{-}CR)_2(CO)_4(bipy)_2Cl_2]\cdot PF_6$ ($R = C_6H_4Me$-4) (G.A. Carriedo, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431

$[Fe(CO)_2(\text{'}S_4\text{'})]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu\text{-}\text{'}S_4\text{'})\{M(CO)_5\}_n]$ ($n = 1$: M = Cr, Mo, W; $n = 2$: M = W; $\text{'}S_4\text{'}^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

$[W(CO)(NCMe)(S_2CNC_4H_8)(\eta^2\text{-}MeC_2Me)_2][BPh_4]$ cationic bisbut-2-yne complex, synthesis, structure and reactions of (P.K. Baker, M.G.B. Drew, K.R. Flower), (391) C12

Vanadium

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Ytterbium

Anionic tetramethylethylene-bridged dicyclopentadienyl ytterbium chloride ion-pair complex, preparation and crystal structure of (P. Yan, N. Hu, Z. Jin, W. Chen), (391) 313

Bis(t-butylcyclopentadienyl)ytterbium(II), synthesis of; derivatives and molecular structure of bis(t-butylcyclopentadienyl)bis(tetrahydrofuran)ytterbium(II) (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 321

Zirconium

$[(CpZrCl)(\mu\text{-}\eta^1:\eta^5\text{-}C_5H_4)]_2$ intermediate species, ^1H and ^{13}C NMR evidence for; cyclopentadienyl C–H bond activation by thermolysis of $[Cp_2Zr(H)Cl]_n$, $Cp_2Zr(R)Cl$, and $[Cp_2ZrCl]_2$ (R. Choukroun, Y. Raoult, D. Gervais), (391) 189

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Book reviews

Chemistry of tin; edited by P.G. Harrison (C. Eaborn), (391) C17

Dictionary of organometallic compounds. Fifth supplement (in two volumes); by J.E. Macintyre (C. Eaborn), (393) C48

Molecular structure of organosilicon compounds; by E. Lukevics, O. Pudova, R. Sturkovich (C. Eaborn), (391) C34

Nitration, methods and mechanism; by G.A. Olah, R. Malhotra, S.C. Narang (R. Taylor), (391) C33